

ELECTROENCEPHALOGRAPHY

AND

CLINICAL NEUROPHYSIOLOGY

**JOURNAL OF THE INTERNATIONAL FEDERATION OF
SOCIETIES FOR ELECTROENCEPHALOGRAPHY AND
CLINICAL NEUROPHYSIOLOGY**



VOL. 33

1972



**ELSEVIER PUBLISHING COMPANY
AMSTERDAM**

Copyright © 1972 by

ELSEVIER PUBLISHING COMPANY, AMSTERDAM

PRINTED IN THE NETHERLANDS

INDEX OF AUTHORS

VOLUME 33, 1972

(The numbers followed by P refer to abstracts from Society Proceedings)

- ABBOTT, M., 246P
 ABRAMS, R., 251P
 AGOSTINI, J. L., 535P
 AKPINAR, S., 253P
 AKPINAR, S., see ULETT, G. A., 361
 ALBE-FESSARD, D., see FELTZ, P., 179
 ALBUS, K. and HERZ, A. Inhibition of behavioural and EEG activation induced by morphine acting on lower brain-stem structures, 579
 ALDRIDGE, V. J., 446P
 ALI, M. R. Pattern of EEG recovery under photic stimulation by light of different colors, 332
 AMES, F., 535P
 ANDERMANN, E., 452P, 453P
 ANDERMANN, F., 352P
 ANDERS, T., EMDE, R. and PARMELEE, A. A manual of standardized terminology, techniques and criteria for scoring of states of sleep and wakefulness in newborn infants. A book review by J. A. HOBSON, 614
 ANDY, O. J., 241P
 AOKI, Y., 452P
 ARFEL, G., 119P, 534P, 535P, 536P
 ARLAZOROFF, A., RAPOPORT, Y., SHANON, E. and STREIFLER, M. Observations on the electromyogram of the oesophagus at rest and during Valsalva's manoeuvre, 110
 ARTHUR, R. J., 238P
 AUNG, M., 245P, 250P, 350P
 AYALA, G. F. and VASCONETTO, C. Role of recurrent excitatory pathways in epileptogenesis, 96
 BACHEN, N. I., 439P
 BACHMAN, D. S., 350P, 449P
 BAHNIUK, E., BURSTEIN, A. H., FRANKEL, V. H. and VAN DER MEULEN, J. P. A neuromuscular testing device, 342
 BALLIS, TH., 358P
 BALZAMO, E., 248P
 BALZAMO, E., BRADLEY, R. J., BRADLEY, D. M., PEGRAM, G. V. and RHODES, J. M. Sleep ontogeny in the chimpanzee: from birth to two months, 41
 BALZAMO, E., BRADLEY, R. J. and RHODES, J. M. Sleep ontogeny in the chimpanzee: from two months to forty-one months, 47
 BALZAMO, E., see WADA, J. A., 520
 BANCAUD, J., 533P, 535P
 BANQUET, J. P., 454P
 BARLOW, J. S. Contemporary brain research in China. A book review by D. P. PURPURA, 126
 BARTIZAL, F., see SABELLI, H. C., 321
 BEAUMANOIR, A., 358P
 BECK, E. C., 254P
 BEHRMAN, J., 445P
 BENHADJI, P. F., 536P
 BENNETT, D. R., 240P, 246P
 BERGSTRÖM, L., 436P, 439P
 BERT, J. Action de la p-chlorophenylalanine sur le sommeil du babouin *Papio papio*, 99
 BESSON, J. M. and RIVOT, J. P. Heterosegmental, heterosensory and cortical inhibitory effects on dorsal interneurons in the cat's spinal cord, 195
 BICKFORD, R. G., 245P, 350P
 BILLINGER, T., 245P
 BILLINGER, T. W., 250P
 BINNIE, C. D., see JONES, B. N., 107
 BJÖRKQVIST, S.-E., 436P
 BLAIR, R. D. G., 450P
 BLAND, B. H., 236P
 BOERRIGTER, W. J. F. B., 441P
 BONIS, A., 533P
 BOONSTRA, S., 443P
 BORDAS-FERRER, M., 535P
 BOUQUET, F., 359P
 BRADLEY, D. M., see BALZAMO, E., 41
 BRADLEY, R. J., see BALZAMO, E., 41, 47
 BRESSON, M., 535P
 BRIERLEY, J. B., 446P
 BRIDGEMAN, B. A simple system for extracellular micro-electrode recording from awake animals, 116
 BROGARD, J. M., 120P
 BROUGHTON, R., 352P
 BROVERMAN, D. M., 254P
 BURCHIEL, J., 243P
 BURCHIEL, J. L., 449P
 BUREAU, M., 120P
 BURKE, R. E., see DOLD, G. M., 232
 BURNETT, L. L., 350P
 BURSTEIN, A. H., see BAHNIUK, E., 342
 BUSER, P., 533P
 BUTLER, R. A. Frequency specificity of the auditory evoked response to simultaneously and successively presented stimuli, 277
 CADILHAC, J., 119P
 CALLAWAY, E., 253P
 CARLIER, E., 535P
 CARRIE, J. R. G., 245P
 CARRIE, J. R. G. A hybrid computer technique for detecting sharp EEG transients, 336
 CARRIE, J. R. G. A hybrid computer system for detecting and quantifying spike and wave EEG patterns, 339
 CARTWRIGHT, R. F., 347P
 CASANOVA, C., 119P
 CASLER, J., 250P
 CATIER, J., 535P
 CHAPMAN, R. M., 254P
 CHARMASSON, G., 535P
 CHARPY, J. R., 534P
 CHATRIAN, G. E., 246P
 CHATTHA, A. S. and LOMBROSO, C. T. Electroencephalographic changes in childhood optic neuritis, 81
 CHERUBINI, C., 120P
 CHOKROVERTY, S., 239P
 CHRISTOLOMME, A., 535P
 CLARKIN, J., 240P
 COBB, W. A., 348P
 COHADON, S., 533P
 COHEN, B., 351P, 451P
 COHN, R., 247P
 COLLARD, M., 123P
 COLLINS, W. F., see VENES, J. L., 207
 CONRAUX, C., 123P

- COOPER, R., 447P
 COOPER, R., see WEINBERG, H., 608
 COQUERY, J.-M., COULMANCE, M. and LERON, M.-C. Modifications des potentiels évoqués corticaux somesthésiques durant des mouvements actifs et passifs chez l'homme, 269
 CORVISIER, J., see ROUGEUL, A., 23
 COULMANCE, M., see COQUERY, J.-M., 269
 COURJON, J., 535P
 CRACCO, R. Q., 239P, 350P, 452P
 CRACCO, R. Q. Traveling waves of the human scalp-recorded somatosensory evoked response: effects of differences in recording technique and sleep on somatosensory and somatomotor responses, 557
 CROWNE, D. P., KONOW, AUDREY, DRAKE, K. J. and PRIBRAM, K. H. Hippocampal electrical activity in the monkey during delayed alternation problems, 567
 CRUCE, W. L. R., see FORMAN, D. S., 427
 CURRAN, W. J., 349P
 DAHL, EVA, GJERSTAD, L. I. and SKREDE, K. KR. Persistent thalamic and cortical barbiturate spindle activity after ablation of the orbital cortex in cats, 485
 DALLA BERNARDINA, B., see TASSINARI, C. A., 603
 DANIAL, J., 240P
 DANIAL, J., see KOOL, K. A., 129
 DANIELSON, D., 350P
 DARBY, C. E., 448P
 DAUBE, J. R., 244P
 DAVIS, H., OSTERHAMMEL, P. A., WIER, C. C. and GJERDINGEN, D. B. Slow vertex potentials: interactions among auditory, tactile, electric and visual stimuli, 537
 DAVIS, H. S., see TAYLOR, R. G., 497
 DAVIS, M. and HENINGER, G. R. Comparison of response plasticity between the eyeblink and vertex potential in humans, 283
 DEBOLT, W. L., 238P
 DECKER, D. A., 238P
 DECKER JR., D. A. and KNOTT, J. R. The EEG in intrinsic supratentorial brain tumors: a comparative evaluation, 303
 DE GRAAF, A. S., 436P
 DEISENHAMMER, E., 357P
 DELIUS, W., 435P
 DE MARCO, P., 358P
 DE POMMERY, H., 536P
 DE POMMERY, J., 536P
 DE RIJKE, W., 120P
 DEVINOY, M., 122P
 DIRLICH, G., 355P
 DOLD, G. M. and BURKE, R. E. A joystick operated microforge for fabrication of glass micropipette electrodes, 232
 DONALD, M. W., 450P
 DONKER, D. N. J., ROBLES DE MEDINA, E. O. and KIEFT, J. Micturition syncope, 328
 DORDAIN, G., 533P
 DORNBUSH, R., 453P
 DOTY, R. W., see PRIBRAM, K. H., 616
 DRAKE, K. J., see CROWNE, D. P., 567
 DRASDO, N., see JEAVONS, P. M., 221
 DRAVET, C., 120P
 DUFFY, E. H., 449P
 DUFFY, F. H., 243P
 DUPONT, H., 534P
 DUSTMAN, R. E., 254P
 EEG-OLOFSSON, O., 438P
 EHRENPREIS, S. and SOLNITZKY, O. C. Neurosciences research, Vol. 4. A book review by R. J. GUMNIT, 360
 EMDE, J. W. and SHIPTON, H. W. An on-line correlator for electroencephalography, 527
 EMDE, R., see ANDERS, T., 614
 ENGEL, R., 242P
 ENJELVIN, M., 119P
 ERKULVRAWATR, S., 352P
 ERTL, J. P., 254P
 ETO, H., see MINAMISAWA, T., 591
 EVANS, B. M., 346P
 FEIN, H. A method for generating random time intervals, 433
 FELDMAN, R. G., 352P
 FELDSTEIN, S., 251P, 453P
 FELTZ, P. and ALBE-FESSARD, D. A study of an ascending nigro-caudate pathway, 179
 FENTON, G. W., 445P
 FENWICK, P. B. C., 445P
 FERRISS, G. S., 243P
 FERRO MILONE, F., 355P
 FINK, M., 246P, 251P, 453P
 FISCHER-WILLIAMS, M., 353P
 FLEMING, N., 245P, 350P
 FLETTTO, R., 120P
 FLOR-HENRY, P., 454P
 FORMAN, D. S. and CRUCE, W. L. R. Darkfield electron microscopy: a simple method for the examination of glass microelectrodes in the electron microscope, 427
 FORSSMAN, B., 435P
 FORSTER, F. M., 240P
 FOWLER JR., W. M., see TAYLOR, R. G., 497
 FRANKEL, V. H., see BAHNIUK, E., 342
 FRANKEN, E. B. M., 443P
 FREDERIX, L., 121P
 FRIAR, L., see STERMAN, M. B., 89
 FUJITA, M., see MORI, K., 104
 FUNG, D., 448P
 FUNG, D., see JONES, B. N., 107
 FUSFELD, R. D. A study of the differentiated electromyogram, 511
 GAILLARD, J. M., KRASSOFEVITCH, M. and TISSOT, R. Analyse automatique du sommeil par un système hybride: nouveaux résultats, 403
 GAINSBURG, D. B., 243P
 GAJDUSEK, D. C., 351P
 GANS, G. E., 242
 GAROUTTE, B. and LIE, K. H. Tungsten microneedles: a simple method of production, 425
 GASCON, G., see MULHOLLAND, T. B., 295
 GASTAUT, H., see TASSINARI, C. A., 603
 GASTON, J., 119P
 GAZE, R. M. The formation of nerve connections. A book review by W. ZENKER, 256
 GEIER, S., 535P
 GELLER, H. M. and WOODWARD, D. J. An improved constant current source for micro-iontophoretic drug application studies, 430
 GIANNITRAPANI, D., 247P
 GIARDINA, W. J., see SABELLI, H. C., 321
 GIBBS JR., C. J., 351P
 GIRARDEL, M., 120P
 GIRARDEL, M., see KURTZ, D., 167
 GJERDINGEN, D. B., see DAVIS, H., 537
 GJERSTAD, L. I., see DAHL, EVA, 485
 GLOOR, P., 352P, 357P
 GOEL, S., 249P
 GOODIN, J., 448P
 GORDON, A. S., 451P
 GOULON, M., 533P
 GRASS, A., 353P
 GRASS, A. M., 244P
 GRASS, E. R., 251P, 349P

- GRAZIANI, L., 452P
 GRECO, R., 445P
 GREINER, G. F., 123P
 GRINSPAN, G., see KURTZ, D., 167
 GROSSMAN, R. G., 243P
 GRUENAU, S. P., see ROSE, G. H., 141
 GUEY, J., 120P
 GUILBAUD, G., MENETREY, D. and OLIVERAS, J. Control exerted during sleep by primary cortical areas upon different sensory afferents, 15
 GUMNIT, R. J., see EHRENPREIS, S., 360
 GUND, A., 357P
 GUPTA, M., 437P
 HAAYMAN, W. P., 119P
 HAGBARTH, K.-E., 435P
 HÄKKINEN, V., 439P
 HALLIDAY, A. M., 445P
 HALLIN, R., 435P
 HAMBLIN, J. J., see JONES, B. N., 107
 HAMMER, B., 357P
 HANEFELD, F., 447P
 HAPPEL, L. T., 243P
 HARADA, O., 349P
 HARADA, O., see KIMURA, J., 369
 HARDING, G. F. A., 347P, 447P
 HARDING, G. F. A., see JEAVONS, P. M., 221
 HARING, G., see PFURTSCHER, G., 113
 HARNER, R. N., 454P
 HECKER, A., 453P
 HENDRIX, D. E., 241P
 HENINGER, G. R., see DAVIS, M., 283
 HENN, V., 351P
 HENRIKSSON, K. G., 435P
 HERNÁNDEZ-PENICHE, J., 124P
 HERON, J. R., 347P
 HERZ, A., see ALBUS, K., 579
 HESS, K. H., 451P
 HESS, R., 356P
 HEUSER, M., 359P
 HILLYARD, S. A., see PICTON, T. W., 419
 HIROSE, N., see TSUMOTO, T., 379
 HOARE, R. D., 445P
 HOBSON, J. A. and MCCARLEY, R. W. Spontaneous discharge rates of cat cerebellar Purkinje cells in sleep and waking, 457
 HOBSON, J. A., see ANDERS, T., 614
 HOBSON, J. A., see MCCARLEY, R. W., 471
 HOFFMAN, R. S., 350P
 HONGELL, A., 435P
 HONIGSBERGER, L., 346P
 HOOTSMANS, W. J. M., 441P
 HORNABROOK, R. W., 348P
 HORTON, R. W., 446P
 HUGHES, J. R., 241P, 352P
 HYNINEN, P., 439P
 IMLER, M., see KURTZ, D., 167
 INGVAR, D. H., 440P
 ISCH, F., 120P
 ISCH-TREUSSARD, C., 120P, 354P
 ISHIIHARA, T. and YOSHII, N. Multivariate analytic study of EEG and mental activity in juvenile delinquents, 71
 ITIL, T. M., 253P
 ITIL, T. M., see ULETT, G. A., 361
 IVES, J., 451P
 JACQUINOT, B., 122P
 JACQUY, J., 122P
 JAFFE, R., 452P, 453P
 JANCAR, J., 346P
 JEAVONS, P. M., 347P, 447P
 JEAVONS, P. M., HARDING, G. F. A., PANAYIOTOPOULOS, C. P. and DRASDO, N. The effect of geometric patterns combined with intermittent photic stimulation in photosensitive epilepsy, 221
 JESEL, M., 120P
 JOHNSON, L. C., 238P, 249P
 JOHNSON, T. J., 352P
 JONES, B. N., BINNIE, C. D., FUNG, D. and HAMBLIN, J. J. Reversible coma with an EEG pattern normally associated with wakefulness, 107
 JONKMAN, E. J., 122P, 443P
 JORDAN, W. S., 246P
 KAMP, A., 119P, 121P
 KAMP, A., SCHRIJER, C. F. M. and STORM VAN LEEUWEN, W. Occurrence of "beta bursts" in human frontal cortex related to psychological parameters, 257
 KAMPHUISEN, H. A. C., 121P
 KARBOWSKI, K., 357P
 KATO, M., 451P
 KATZ, H. M., 350P
 KATZ, L., 452P
 KETEL, W. B., 352P
 KIEFT, J., see DONKER, D. N. J., 328
 KIMURA, J., 349P
 KIMURA, J. and HARADA, O. Excitability of the orbicularis oculi reflex in all night sleep: its suppression in non-rapid eye movement and recovery in rapid eye movement sleep, 369
 KLAIBER, E. L., 254P
 KLASS, D. W., 244P
 KLOPPROGGE, M. J. G. M. Placing the head horizontally in the stereotaxic apparatus by using X-ray photographs, 530
 KNOTT, J. R., 238P, 252P, 353P
 KNOTT, J. R., see DECKER JR., D. A., 303
 KNOTT, J. R., see KOOI, K. A., 127
 KOK, N. K. D., 121P
 KOLLMANNBERGER, A., 357P
 KONOW, AUDREY, see CROWNE, D. P., 567
 KOOI, K. A., 240P
 KOOI, K. A. Fundamentals of electroencephalography. A book review by J. R. KNOTT, 127
 KOOI, K. A., see STEVENS, L. A., 615
 KOOI, K. A., TUCKER, R. P., DANIAL, J. and MARSHALL, R. E. Foveal and extrafoveal influences on the topography of the visually evoked, early negative potential in man, 129
 KRASSOJEVITCH, M., see GAILLARD, J. M., 403
 KRIS, E. C., 353P
 KUROIWA, Y., see TAMURA, K., 325
 KURTZ, D., 120P
 KURTZ, D., ZENGLEIN, J. P., IMLER, M., GIRARDEL, M., GRINSPAN, G., PETER, B. and ROHMER, F. Etude du sommeil nocturne au cours de l'encéphalopathie portocave, 167
 LACHAUD, J. C., 534P
 LAKE, R. M., 244P
 LANG, A. H., 435P, 436P
 LAPOINTE, L., 453P
 LARSSON, L. E., 435P
 LAURETTE, G., 119P, 534P
 LAVOISY, J. H., 534P
 LAYZER, R. B., see TAYLOR, R. G., 497
 LE COULTRE, R., 120P
 LEE, J. C. M., see ORNITZ, E. M., 159
 LEE, MARGARET V., see WILKINSON, R. T., 411
 LEE, R. G., 450P
 LEHTINEN, I., 440P
 LEHTINEN, L. O. J., 436P

- LEHTONEN, J. B., 440P
 LELL, M. E., 241P
 LENZI, G. L., 355P
 LÉRIQUE-KOECHLIN, A., 536P
 LERON, M.-C., see COQUERY, J. M., 269
 LESSARD, L., 453P
 LETALLE, A., see ROUGEUL, A., 23
 LETTICH, E., 246P
 LEVILLAIN, D., 535P
 LEVY-ALCOVER, M. A., 533P
 LIE, K. H., see GAROUTTE, B., 425
 LIVANAINEN, M., 439P
 LOCHE, D., 535P
 LOISEAU, P., 533P
 LOMBROSO, C. T., 242P, 449P, 452P
 LOMBROSO, C. T., see CHATTHA, A. S., 81
 LONG, M. T., 238P
 LOPES DA SILVA, F. H., 443P
 LOPES DA SILVA, F. H., TYSMITH, N., ZWART, A. and NICHOLS, W. W. Spectral analysis of the EEG during halothane anaesthesia: input-output relations, 311
 LUBIN, A., 249P
 LÜDERS, H., see TAMURA, K., 325
 LUNDERVOLD, A., 439P
 LUNNON, R. J., 446P
 MCCALLUM, W. C., 446P
 MCCARLEY, R. W. and HOBSON, J. A. Simple spike firing patterns of cat cerebellar Purkinje cells in sleep and waking, 471
 MCCARLEY, R. W., see HOBSON, J. A., 457
 McDONALD, W. I., 445P
 McEVOY, D., 454P
 MACLEAN, P. D., 350P
 MACAGNO, F., 359P
 MACKERT, B., 357P
 MADSEN, J. A., 246P
 MAGNUS, O., 122P, 442P, 444P
 MAIA, M., 347P
 MAJKOWSKI, J. and SOBIESZEK, A. Cross-modality comparisons of averaged evoked potentials, their relation to vigilance and stimulus parameters in cats, 61
 MANCIA, D., see TASSINARI, C. A., 603
 MANSFIELD, G., 249P
 MARROQUIN, J. I., 124P
 MARSH, R., 351P
 MARSHALL, R. E., 240P
 MARSHALL, R. E., see KOOL, K. A., 129
 MARTINIUS, J., see MÜLLER, K., 456
 MATSUMIYA, Y., 242P
 MATSUMIYA, Y. and MOSTOFKY, D. I. Somatosensory evoked responses elicited by corneal and nostril air puff stimulation, 225
 MAURER, H., 357P
 MECHELSE, K., 441P
 MEIER-EWERT, K., 359P
 MEIER-KOLL, A., 356P
 MELDRUM, B. S., 446P
 MELDRUM, B. S., see WADA, J. A., 520
 MENETREY, D., see GUILBAUD, G., 15
 MENINI, C., 535P
 MERLIS, S., 350P
 METRAKOS, J. D., 452P
 MICHELETTI, G., 120P
 MILNER, B. A., 347P
 MILSTEIN, V., 242P, 249P
 MINAMISAWA, T., TSUCHIYA, T. and ETO, H. Changes in the averaged evoked potentials of the rabbit during and after fractionated X-irradiation, 591
 MITANI, H., see MORI, K., 104
 MOENE, Y., 535P
 MOL, J. M. F., 121P
 MONGIA, S. K., 236P, 439P
 MONNIER, S., 121P
 MOORE, J. E., 242P
 MOORE, J. R., 347P
 MORI, K., MITANI, H., FUJITA, M. and WINTERS, W. D. Multiple unit activity of dorsal cochlear nucleus and midbrain reticular formation during paradoxical phase of sleep. IV. A supplementary note, 104
 MORRELL, F., 240P
 MOSMANS, P. C. M., 122P
 MOSTOFKY, D. I., see MATSUMIYA, Y., 225
 MULHOLLAND, T. B. and GASCON, G. A quantitative EEG index of the orienting response in children, 295
 MÜLLER, K. Das Hirnstrombild unter Mehratmung bei Kindern. A book review by J. MARTINIUS, 456
 MUNDLER, F., 358P
 MYLES, S. B., see SABELLI, H. C., 321
 NAITOH, P., 249P
 NAQUET, R., 121P, 535P
 NAQUET, R., see REYNOLDS, H. H., 456
 NAQUET, R., see WADA, J. A., 520
 NASHOLD JR., B. S., 249P
 NEGRIN, P., 358P, 359P
 NELSON, R., 352P
 NICHOLS, W. W., see LOPES DA SILVA, F. H., 311
 NIEDERMEYER, E., 351P
 NOBLE, M. C., 533P
 NOEL, G., 122P
 NONAKA, S., see TSUMOTO, T., 379
 NORDIO, S., 359P
 NORDMANN, G., 359P
 NOUAILHAT, F., 533P
 NURKKANEN, P., 435P
 NUTE, C., 249P
 OBRIST, W. D., 253P
 OCKENDEN, B., 445P
 OFFNER, F., 243P
 OFTEDAL, S. I., 437P
 OLIVERAS, J., see GUILBAUD, G., 15
 OLMOS, G., 124P
 ORNITZ, E. M., LEE, J. C. M., TANGUAY, P. E., SIVERTSEN, B. and WILSON, C. The effect of stimulus interval on the auditory evoked response during sleep in normal children, 159
 ORTIZ-ESTRADA, P., 124P
 OSTERHAMMEL, P. A., see DAVIS, H., 537
 PALKOVITZ, H., 250P
 PAMPIGLIONE, G., 347P, 445P, 446P, 447P
 PANAYIOTOPOULOS, C. P., 347P, 447P
 PANAYIOTOPOULOS, C. P., see JEAVONS, P. M., 221
 PAPAPOSTOPOULOS, D., 346P, 446P
 PAPINI, M., 356P
 PARISER, S. F., 243P
 PARMEGGIANI, P. L. and SABATTINI, L. Electromyographic aspects of postural, respiratory and thermoregulatory mechanisms in sleeping cats, 1
 PARMELEE, A., see ANDERS, T., 614
 PASCAL, F., 121P
 PASSOUANT, P., 119P
 PAUL, R., 346P
 PECHSTEIN, J., 355P
 PEELER, D., 241P
 PEGRAM, G. V., see BALZAMO, E., 41
 PETER, B., see KURTZ, D., 167
 PETERS, J. F., 238P, 353P
 PETERSÉN, I., 438P
 PFURTSCHELLER, G. and HARING, G. The use of an EEG

- autoregressive model for the time-saving calculation of spectral power density distributions with a digital computer, 113
- PICTON, T. W. and HILLYARD, S. A. Cephalic skin potentials in electroencephalography, 419
- PIRAUX, A., 122P
- PLOUIN, P., 536P
- PONSEN, L., 442P
- PREMOLI, A., 355P
- PRIBRAM, K. H. Languages of the brain. A book review by R. W. DOTY, 616
- PRIBRAM, K. H., see CROWNE, D. P., 567
- PROBST, W., 355P
- PRUVOT, P., 359P
- PURPURA, D. P., see BARLOW, J. S., 126
- RAGE, P., 121P
- RAMOS-MURGUIA, M., 124P
- RAMSAY, R. E., 248P
- RAPOPORT, A. M., 453P
- RAPOPORT, S. I., 449P
- RAPOPORT, Y., see ARLAZOROFF, A., 110
- RASMUSSEN, T. B., 452P
- RATTREY, N., 445P
- REBERT, C. S. Cortical and subcortical slow potentials in the monkey's brain during a preparatory interval, 389
- REDDING, F. K., 250P, 351P, 450P
- REGAN, D., 347P
- REIFFENSTEIN, R. J. and TRIGGLE, C. Sensitivity of denervated cerebral cortex to cholinomimetics, 215
- REIHER, J., 453P
- RÉMOND, A., 244P
- RESÉNDIZ, C. R., 124P
- REVOL, M., 535P
- REYNOLDS, H. H. Chimpanzee: Central nervous system and behaviour. A book review by R. NAQUET, 456
- RHODES, J. M., see BALZAMO, E., 41, 47
- RICHTER, Hs. R., 358P
- RIGHINI, G., 355P
- RJCKEN, W. J., 121P
- RISBERG, J., 440P
- RITTER, W., SIMSON, R. and VAUGHAN JR., H. G. Association cortex potentials and reaction time in auditory discrimination, 547
- RIVOT, J. P., see BESSON, J. M., 195
- ROBB, J. P., 451P
- ROBLES DE MEDINA, E. O., see DONKER, D. N. J., 328
- RODIN, E. A., 251P, 453P
- ROGER, J., 120P
- ROGERS, G. W., 446P
- ROHMER, F., 123P
- ROHMER, F., see KURTZ, D., 167
- ROSE, G. H., GRUENAU, S. P. and SPENCER, J. W. Maturation of visual electrocortical responses in unanesthetized kittens: effects of barbiturate anesthesia, 141
- ROSS, J. J., 238P
- ROSTAIN, J. C., 534P
- ROTH, B., 442P
- ROUBICEK, J., 354P
- ROUGEUL, A., LETALLE, A. and CORVISIER, J. Activité rythmique du cortex somesthésique primaire en relation avec l'immobilité chez le chat libre éveillé, 23
- RUBINO, F. A., 239P
- RUEDA, F., 125P
- SAAR, P., 439P
- SABATTINI, L., see PARMEGGIANI, P. L., 1
- SABELLI, H. C., BARTIZAL, F., GIARDINA, W. J. and MYLES, S. B. Effects of α -adrenergic blockers on visual evoked responses in rabbits, 321
- SAINIO, K., 438P
- SAINT-MARTIN, J., 536P
- SALTZMAN, H. A., 438P
- SALZARULO, P., 534P
- SAMSON-DOLLEFUS, D., 535P
- SANDERS, S., 348P
- SANDERSON, M., 452P
- SAN ESTEBAN, J. E., 125P
- SASSIN, J. F., 238P
- SAX, D. S., 352P
- SAZARI, M., 245P
- SCHENK, G., 122P
- SCHIPPER, J., 441P
- SCHNEIDER, J., 533P
- SCHOENY, W., 357P
- SCHOLL, M. L., 247P
- SCHRIJER, C. F. M., 119P
- SCHRIJER, C. F. M., see KAMP, A., 257
- SCHUH, H., 355P
- SCHUPP, C., 123P
- SCHWAB, R. S., 247P, 349P
- SCHWARTZ, B. A., 534P
- SCOLLO-LAVIZZARI, G., 355P
- SCOTT, D. F., 448P
- SEPPÄLÄINEN, A. M., 436P, 439P
- SERAFETINIDES, E. A., 246P
- SHANON, E., see ARLAZOROFF, A., 110
- SHAPIRO, A. K., 240P
- SHAPIRO, D. M., 246P
- SHAPIRO, E., 240P
- SHATTUCK, C. M., 250P
- SHEAFF, P. C., 448P
- SHERWIN, A. L., 451P
- SHIPTON, H. W., see EMDE, J. W., 527
- SHKUROVICH, M., 125P
- SIDMAN, R. D., 241P
- SIEGEL, P., 449P
- SILVERMAN, D., 237P, 252P
- SIMON, J., 354P
- SIMON, O., 354P, 355P
- SIMONS, A. J. R., 442P
- SIMS, J. K., 250P
- SIMSON, R., see RITTER, W., 547
- SIVERTSEN, B., see ORNITZ, E. M., 159
- SJAASTAD, O., 439P
- SKREDE, K. KR., see DAHL, EVA, 485
- SLATER, R., 454P
- SMALL, J. G., 242P, 249P
- SMITH, D. B., 241P
- SOBIESZEK, A., see MAJKOWSKI, J., 61
- SOLNITZKY, O. C., see EHRENPREIS, S., 360
- SOLOMON, G., 240P
- SPATZ, R., 357P
- SPEIRS, C. F., 448P
- SPENCER, H. J. An epochal ratemeter for neurophysiological studies, 228
- SPENCER, J. W., see ROSE, G. H., 141
- STÅLBERG, E., 436P, 437P
- STEELE, J. S., 451P
- STEINHOFF, H., 357P
- STENN, P. G., 254P
- STERMAN, M. B. and FRIAR, L. Suppression of seizures in an epileptic following sensorimotor EEG feedback training, 89
- STERNBERG, B., 536P
- STEVENS, J. R., 249P
- STEVENS, L. A. Explorers of the brain. A book review by K. A. KOOL, 615
- STEWART, L., 245P
- STORM VAN LEEUWEN, W., 119P, 121P

- STORM VAN LEEUWEN, W., see KAMP, A., 257
 STREIFLER, M., see ARLAZOROFF, A., 110
 SULG, I. A., 437P, 438P
 SUTTER, R., 251P
 SWEET, R., 240P
 TAKAHASHI, M., see TSUMOTO, T., 379
 TALAIRACH, J., 533P, 535P
 TAMURA, K., LÜDERS, H. and KUROIWA, Y. Further observations on the effects of aging on the wave form of the somatosensory evoked potential 325
 TANGUAY, P. E., see ORNITZ, E. M., 159
 TASSINARI, C. A., MANCIA, D., DALLA BERNARDINA, B. and GASTAUT, H. Pavor nocturnus of non-epileptic nature in epileptic children, 603
 TAUB, A., see VENES, J. L., 207
 TAYLOR, R. G., LAYZER, R. B., DAVIS, H. S. and FOWLER JR., W. M. Continuous muscle fiber activity in the Schwartz-Jampel syndrome, 497
 TEMPE, J. D., 120P
 TENNENT, T. G., 445P
 THARP, B. R., 248P
 THIELE, B., 436P
 THOMPSON, H. K., 449P
 THOMSON, L., 438P
 TIRSCH, W., 355P
 TISSOT, R., see GAILLARD, J. M., 403
 TOLONEN, M., 436P
 TOMKA, I., 119P
 TOREBJÖRK, E., 435P
 TOREBJÖRK, H. E., 435P
 TRIGGLE, C., see REIFFENSTEIN, R. J., 215
 TROOST, J., 121P
 TSUCHIYA, T., see MINAMISAWA, T., 591
 TSUMOTO, T., HIROSE, N., NONAKA, S. and TAKAHASHI, M. Analysis of somatosensory evoked potentials to lateral popliteal nerve stimulation in man, 379
 TUCKER, R. P., 240P
 TUCKER, R. P., see KOOL, K. A., 129
 TY SMITH, N., see LOPES DA SILVA, F. H., 311
 ULETT, G. A., 253P
 ULETT, G. A., AKPINAR, S. and ITIL, T. M. Quantitative EEG analysis during hyponosis, 361
 VAAHTORANTA, K. M., 435P
 VAN DER DRIFT, J. H. A., 121P
 VAN DER HOLST, M., 444P
 VAN DER MEULEN, J. P., see BAHNIUK, E., 342
 VAN DUIJN, H., 443P
 VAN HASSELT, P. A short latency visual evoked potential recorded from the human mastoid process and auricle, 517
 VAN HUFFELEN, A. C., 122P, 442P
 VAN VEEN, W. J., 353P
 VASCONETTO, C., see AYALA, G. F., 96
 VAUGHAN JR., H. G., see RITTER, W., 547
 VELASCO, F., 239P
 VELASCO, M., 239P
 VENES, J. L., COLLINS, W. F. and TAUB, A. Evoked cerebral cortical activity from small peripheral nerve fibers in cat, 207
 VIGOUROUX, R. A., 121P
 VIRDEN, S., 448P
 VISSER, S. L., 120P
 VOGEL, W., 254P, 255P
 VOLAVKA, J., 251P, 453P
 VON LOESCH, I., 355P
 WADA, J. A., BALZAMO, E., MELDRUM, B. S. and NAQUET, R. Behavioural and electrographic effects of L-5-hydroxytryptophan and D,L-parachlorophenylalanine on epileptic Senegalese baboon (*Papio papio*), 520
 WALLIN, G., 435P
 WALSH, G. O., 246P
 WALTER, D. O., 245P
 WALTER, ST., 535P, 536P
 WALTER, W. G., 446P
 WANG, C., 241P
 WASSING, H. E., 122P
 WAYNE, H. L., 240P
 WEINBERG, H., 446P, 447P
 WEINBERG, H. and COOPER, R. The recognition index: a pattern recognition technique for noisy signals, 608
 WEINER, M., 347P
 WEITZMAN, E., 452P
 WETZEL, N., 241P
 WIEDERHOLT, W. C., 243P, 250P, 251P
 WIER, C. C., see DAVIS, H., 537
 WILDER, B. J., 248P
 WILKINSON, R. T. and LEE, MARGARET, V. Auditory evoked potentials and selective attention, 411
 WILKUS, R. J., 246P
 WILLIAMS, V., 243P
 WILSON, C., see ORNITZ, E. M., 159
 WILSON, W. P., 249P
 WINTER, A. L., 346P
 WINTERS, W. D., see MORI, K., 104
 WISER, W. C., 246P
 WOODS, J. F., 451P
 WOODWARD, D. J., see GELLER, H. M., 430
 YOSHII, N., see ISHIHARA, T., 71
 ZAPPOLI, R., 356P
 ZENGLEIN, J. P., see KURTZ, D., 167
 ZENKER, W., see GAZE, R. M., 256
 ZONNEVELDT, A., 122P
 ZWART, A., see LOPES DA SILVA, F. H., 311

INDEX OF SUBJECTS

VOLUME 33, 1972

(The numbers followed by P refer to abstracts from Society Proceedings)

- ACOUSTIC, see AUDITORY
- ACTIVATION, EEG chemical, see DRUGS
- EEG with light, see PHOTIC STIMULATION
- AGE, effect on evoked potentials, 325
- old, EEG and intellectual function, 253P
- old, EEG study, 354P
- young, see CHILDREN, ONTOGENESIS
- ALCOHOL, chronic alcoholism, EEG studies, 246P
- ALPHA RHYTHM, amplitude and handedness, 534P
- effects of uniform visual field, 440P
- occurrence, as index of orienting response, 295
- AMAUROTIC IDIOCY, and self-provoking epilepsy, 358P
- AMYOTROPHY, neuralgic, in identical twins, EMG study, 436P
- ANALYSIS, EEG, see TECHNIQUE, EEG MISCELLANEA
- ANENCEPHALY, EEG study, 346P
- ANESTHESIA, see DRUGS
- ANOXIA, see also OXYGEN
- nitrogen-induced, EEG and evoked potential studies, 251P
- terminal in human, ERG study, 246P
- ANTIDROMIC, activation of paroxysmal discharges, 96
- ARTEFACTS, EEG, see SKIN, STAPEDIUS
- ASSOCIATION, cortex, see CEREBRAL CORTEX
- ATROPHY, cerebral, see BRAIN
- ATTENTION, selective and auditory responses, 411
- AUDITORY, discrimination, reaction time and association cortex responses, 547
- function, EEG evaluation in children, 124P
- input to cortical visual neurons, 240P
- responses and inter-hemispheric asymmetry, 242P
- responses, and selective attention, 411
- responses in children, during sleep, 159
- responses to simultaneous and successive stimuli, 277
- stimulation and stapedius tic, 352P
- stimulation, interaction with tactile and visual, 537
- stimulation, response plasticity between eye blink and vertex potential, 283
- BARBITURATES, see DRUGS
- BASAL GANGLIA, CNV responses, 389
- nigro-caudate pathways, 179
- BEHAVIOR, and CNV, 252P
- and hippocampal EEG, 236P, 567
- and photic responses, effects of hormones, 254P
- EEG correlates, a symposium, 252P
- inhibition by morphine, 579
- BLINK reflex, see EYE
- BLOOD-brain barrier, osmotic opening, chronic effects, 449P
- cerebral, gas tension in experimental status epilepticus, 446P
- flow cerebral, changes during mental activity, 440P
- flow cerebral, changes in post-embolic seizures, 121P
- flow cerebral, regional and EEG, 122P
- haematotachographic study, 121P
- levels of oral hypnotic and EEG changes, 448P
- pressure, low, EEG-evoked potential studies, 251P
- BOOK REVIEWS, see *Table of Contents*
- BRAIN, atrophy and hydrocephalus, EEG study, 439P
- death, see CEREBRAL DEATH
- hemispherical preference of functions and EEG, 247P
- inter-hemispheric asymmetry and auditory responses, 242P
- lesions, EEG detection by steady-state evoked potentials technique, 347P
- lesions, expanding, see BRAIN TUMORS
- malformations congenital, diagnostic studies, 446P
- rostral dominance, physiological determinants, 247P
- trauma, injury, concussion, see HEAD TRAUMA
- BRAIN-STEM, morphine action, 579
- pontine reticular formation stimulation, 451P
- reticular formation, unit activity in sleep, 104
- BRAIN TUMORS, supratentorial, EEG initial clinical evaluation, 238P
- supratentorial, intrinsic, EEG study, 303
- CARBON DIOXIDE, tension in experimental status epilepticus, 446P
- CAROTID ARTERY, haematotachographic study, 121P
- ligation unilateral, EEG-evoked potential studies, 251P
- thrombosis bilateral in children, EEG study, 445P
- CAUDATE NUCLEUS, see BASAL GANGLIA
- CEREBELLUM, degenerative disease, EEG study, 348P
- Purkinje cells activity in sleep and wakefulness, 457, 471
- role in noxious perception, 449P
- CEREBRAL CORTEX, activity, evoked from small nerve fibers, 207
- activity in human diseases, see EEG MISCELLANEA
- activity unitary, see MICRO-ELECTRODE STUDIES
- artificial model for EEG interpretation, 356P
- association, responses and auditory discrimination, 547
- association, somato-sensory, in primate, 243P
- barbiturate spindles after orbital cortex ablation, 485
- control upon sensory afferents, 15
- denervated, sensitivity to cholinomimetics, 215
- frontal, see FRONTAL
- inhibitory influences on spinal interneurons, 195
- motor, see MOTOR
- periocular afferents in baboon, 535P
- responses, see EVOKED POTENTIALS
- sensory, see SENSORY
- visual, see VISUAL
- CEREBROVASCULAR, see VASCULAR
- CEREBRAL DEATH, current developments, 252P
- ERG studies, 246P, 250P
- medico-legal aspects following transplant, 349P
- CHILDREN, amaurotic idiocy and self-provoked epilepsy, 358P
- anencephalic, sleep-EEG study, 346P
- auditory responses in sleep, 159
- brain damage and Ketamin administration, 246P
- carotid thrombosis, bilateral, EEG study, 445P
- congenital brain malformation, EEG and transillumination photography, 446P
- contingent negative variation, 356P
- development, intelligence and visual responses, 242P
- dyslexia, EEG changes during open-eyed gaze, 353P
- EEG development, 438P, 452P
- EEG frequency classes, automatic analysis, 355P
- EEG paroxysmal arched rhythms, 354P
- epilepsy, radio-telemetry study, 119P

- epilepsy with pavor nocturnus of non-epileptic nature, 603
- head injury minor, and seizure disorders, 451P
- hearing disorders, EEG evaluation, 124P
- hydrocephalus, EEG changes and mental development, 122P
- Lennox-Gastaut syndrome, EEG study, 120P
- mucopolysaccharidoses, EEG study, 447P
- purpura fulminans and vascular collapse, EEG study, 536P
- normal, EEG development, 438P
- optic neuritis, EEG study, 81
- orienting response, quantitative EEG index, 295
- premature, low weight, EEG maturation, 452P
- rapid, irregular eye and limb movements, EEG-EMG study, 347P
- CINGULATE GYRUS, unit activity and vagal influences, 350P
- CIRCADIAN RHYTHM, disorganization in spontaneous hypothermia, 454P
- CIRRHOSIS, porto-caval encephalopathy, sleep EEG study, 167
- COCHLEAR NUCLEUS, unit activity in sleep, 104
- COMA, see also CEREBRAL DEATH
 - hyperosmolar, EEG-clinical study, 120P
 - irreversible, "borderline" EEGs, 453P
 - wakefulness EEG patterns, 107
- COMPUTER, EEG analysis and pattern detection, see TECHNIQUE
- CONDUCTION, nerve, see NERVE
- CONTINGENT NEGATIVE VARIATION, and behavior, 252P
 - and cephalic skin potentials, 419
 - auditory stimulation and selective attention, 411
 - cortical and subcortical in monkey, 389
 - effects of sustained motor activity, 446P
 - in children, 356P
 - information about response performance, 446P
 - sex, stress and interstimulus interval, 238P
 - shape and subject variables, 353P
 - studies of motivation and frustration, 249P
- CONVULSIONS, fits, attacks, see EPILEPSY, SEIZURES
- CORPUS CALLOSUM, agenesis, evoked potentials, 243P
- CRANIO CEREBRAL INJURY, see HEAD TRAUMA
- DC POTENTIALS, see STEADY POTENTIALS
- DEATH, cerebral, see CEREBRAL DEATH
- DENERVATION, sensitivity of cortex to cholinomimetics, 215
- DEPTH ELECTROGRAPHY, in cats, during motor and sleeping behavior, 443P
 - in Koshevnikoff's syndrome, 533P
 - radio-telemetry EEG recording, 119P
- DIENCEPHALON, see BRAIN-STEM, THALAMUS
- DOMINANCE, hemispherical, see BRAIN
- DRUGS, anticonvulsants in experimental epilepsy, 443P
 - barbiturate anesthesia and visual responses, 141
 - carbamazepin, experimental epilepsy, 443P
 - cholinomimetics, sensitivity of denervated cortex, 215
 - clonazepam, in experimental epilepsy, 443P
 - diazepam, effects on electrically induced seizures, 535P
 - diazepam-induced sleep in focal epilepsy, 448P
 - dibenamine, effects on evoked potentials, 321
 - doxepin, EEG study, 246P
 - ethinamate, effects on EEG and blood levels, 448P
 - ethosuximide in absence attacks, 247P, 451P
 - Halothane anesthesia, EEG spectral analysis, 311
 - Halothane, quantitative EEG study, 443P
 - Ketamine, electrophysiological effects, 536P
 - Ketamine in brain damaged subjects, 246P
 - L-5-hydroxytryptophan, effects on epileptic baboon, 520
 - Megimide—induced seizures, 535P
 - micro-iontophoretic application, method, 430
 - morphine, EEG and behavioral effects, 579
 - Parachlorophenylalanine, effects in epileptic baboon, 520
 - Parachlorophenylalanine, effects on sleep, 99
 - Phenelzine, EEG effects, 346P
 - Phenoxybenzamine, effects on evoked potentials, 321
 - psychoactive, EEG study, 246P
 - Reserpine for inducing experimental depression, 124P
 - Ro 5-4023 for Lennox-Gastaut syndrome, tolerance, 359P
 - Serotonin, effects on photomyoclonic threshold, 124P
 - Tegretol, see carbamazepin
 - Tetrahydrocannabinol, delta-9, EEG, mood and heart effects, 453P
 - Thiothixene, EEG study, 247P
 - Trimethaphan, to induce hypotension, 251P
 - urea perfusion to open blood-brain barrier, 449P
 - Valium, see diazepam
 - Zarontin, see ethosuximide
- EEG MISCELLANEA, after electroshock, unilateral and bilateral, 251P
 - after pressure relief by shunt operation, 356P
 - after unilateral carotid ligation, 251P
 - and laterality preference and functional representation, 247P
 - and mental activity, 71
 - and regional cerebral blood flow, 122P
 - current status, 237P
 - data banks; proposal and method, 244P
 - digital analysis in normals, 120P
 - during hyperbaric oxygen therapy, 533P
 - during hypnosis, 253P
 - during meditation, spectral analysis, 454P
 - during simulated dive to 520 m, 534P
 - effects of trepanation, 443P
 - feedback training for seizure suppression, 89
 - for hearing evaluation, 124P
 - in alcoholism, chronic, 246P
 - in anencephalic child, 346P
 - in carotid thrombosis, bilateral, 445P
 - in cerebral malformations, 357P
 - in cerebrovascular insufficiency, 121P
 - in children, see also CHILDREN
 - in children with abnormal movements, 347P
 - in coma 107, 120P, 453P
 - in *cutis verticis gyrata* and mental retardation syndrome, 439P
 - in dyslexic children, 353P
 - in encephalopathy, porto-caval, 167
 - in experimental cerebral infarcts, 243P
 - in experimental degenerative neurological diseases, 351P
 - in Gilles de la Tourette syndrome, 240P
 - in "happy puppet" syndrome, 347P
 - in hydrocephalus, 122P
 - in hydrocephalus and cerebral atrophy, 439P
 - in hydrocephalus, normal pressure, 346P
 - in hypothermia, spontaneous, 454P
 - in hypoxic and hyperbaric conditions, 438P
 - in intracranial hypertension, 356P
 - in intracranial hypertension, benign, 346P
 - in ischaemic cerebral diseases, 121P
 - in Jakob-Creutzfeldt disease, 450P
 - in juvenile delinquency, 71
 - in Koshevnikoff's syndrome, 533P
 - in Kuru, 348P

- in liver diseases, 167
- in malnutrition, 124P
- in meningococcal purpura fulminans, 536P
- in micturition syncope, 328
- in mucopolysaccharidoses, 447P
- in old age, 253P, 354P
- in optic neuritis, 81
- in phacomatoses, 357P
- in Reye's syndrome, 452P
- in skull defects, 443P
- in subdural hematoma, correlation with other findings, 357P
- model for interpretation, 356P
- polarity, historical aspects, 251P, 349P
- post-ischaemic in rabbit, 438P
- psychological correlates, a symposium, 252P
- quantitative index of orienting response, 295
- safety during recording, 244P
- safety electrical, 353P
- spectral analysis, 355P
- telemetry in clinical routine, 437P
- EEG PATTERNS, MISCELLANEA, artefact from stapedius tic, 352P
 - automatic recognition, 355P
 - barbiturate spindles, 485
 - "beta bursts" in frontal cortex, 257
 - CNV, see CONTINGENT NEGATIVE VARIATION
 - cephalic skin potentials, 419
 - epileptiform potentials in non-epileptic, 359P
 - focal paroxysmal discharges, 533P
 - high frequencies in epilepsy, 251P
 - high frequency, 350P
 - hypsarrhythmia, 124P
 - in seizures of orbito-frontal origin, 248P
 - in subacute encephalitis, 453P
 - in subcortical nuclei during sleep, 249P
 - kappa waves and intellectual function, 254P
 - lambda waves, 534P
 - lambdoid waves in sleep, 250P
 - paroxysmal arched rhythms, 354P
 - rhythmical activity of somatosensory cortex in cat, 23
 - rolandic paroxysms, 358P
 - saw-tooth waves, 444P
 - seizure discharges, subclinical regional, 442P
 - sharp transients, computer detection, 336
 - slow activity, posterior temporal, 445P
 - slow vertex potential, see also EVOKED POTENTIALS
 - slow waves, see also STEADY POTENTIALS
 - spike and slow wave distribution, 120P
 - spike and wave, automatic detection, 245P, 339
 - spike and wave triggering grand mal and psychomotor spells, 247P
 - spikes, focal parietal, 358P
 - spikes, posterior-median in sleep, 534P
 - theta high voltage, during gaze, 353P
 - theta rhythm, hippocampal, see RHINENCEPHALON
 - travelling waves of somatosensory response, see EVOKED POTENTIALS
 - vertex potential, 283, 537
 - vertex spindles at 4 c/sec, 442P
 - wakefulness pattern in coma, 107
 - zeta waves, 444P
- EHLERS-DANLOS syndrome, in twins, EMG study, 436P
- ELECTRODERMAL POTENTIALS, and CNV, 419
- ELECTRODES, micro-, see MICRO-ELECTRODE STUDIES, TECHNIQUE
 - naso-ethmoidal, 436P
 - pharyngeal, in temporal lobe epilepsy, 437P
 - sphenoidal, in temporal lobe epilepsy, 437P
 - tripod—9 point for EEG, 437P
- ELECTROMYOGRAPHY, analysis, automatic, 435P
 - differentiated EMG, 511
 - H-reflex and other responses in neuropathies, 236P
 - in carbon disulphide chronic poisoning, 436P
 - in children with irregular movements, 347P
 - in median and ulnar nerves anastomosis, 441P
 - in myopathies and normals, rise time determination, 442P
 - in neuralgic amyotrophy in twins, 436P
 - in polymyositis, frequency analysis, 435P
 - in Schwartz-Jampel syndrome, 497
 - in sleeping cat, 1
 - in traumatic nerve injury, 120P
 - of oesophagus, 110
 - or orbicularis oculi in sleep, 369
 - trigeminal reflex, 359P
- ELECTRONYSTAGMOGRAPHY, automatic analysis, 533P
- ELECTRORETINOGRAPHY, in terminal anoxia, 246P
 - technique, during brain death, 250P
- ELECTROSHOCK, therapy, bilateral and unilateral, EEG study, 251P
- ENCEPHALITIS, subacute inclusion body, EEG patterns, 453P
 - subacute sclerosing, evoked from petit mal epilepsy, 352P
- EPILEPSY, and pavor nocturnus, 603
 - clinical correlates of focal paroxysmal discharges, 533P
 - EEG high frequency recording in generalized and focal, 251P
 - EEG spectral analysis and response latency, 249P
 - EEG study with naso-ethmoidal electrode, 436P
 - excitation, recurrent in epileptogenesis, 96
 - experimental, EEG activation, 248P
 - experimental, role of recurrent excitatory paths, 96
 - experimental, study of various anticonvulsants, 443P
 - fits, convulsions, ictal episodes see SEIZURES
 - focal EEG Diazepam-induced sleep study, 448P
 - focal orbito-frontal and EEG pattern, 248P
 - focal, surgical treatment and genetic factors, 452P
 - generalized primary and secondary, differential diagnosis, 357P
 - in animals, EEG activation, 248P
 - in baboon, peri-ocular afferents role, 535P
 - in baboon, pharmacological study, 520
 - in baboon, thalamic paroxysmal discharges, 535P
 - ketamine side effects, 246P
 - late onset, 357P
 - Lennox-Gastaut syndrome, 120P
 - Lennox-Gastaut syndrome, tolerance to treatment, 359P
 - medical treatment, see also DRUGS
 - petit mal evolving to subacute encephalitis, 352P
 - photosensitive, and sleep deprivation, 355P
 - photosensitive, effect of geometric patterns, 221
 - photosensitive, grid pattern photic stimulation, 347P
 - post traumatic, EEG study, 124P, 451P
 - psychiatric manifestations, specificity, 454P
 - reading, 240P
 - self-provoked in amaurotic idiocy, 358P
 - status epilepticus in baboon, 446P
 - tele-EEG, 119P
 - temporal lobe, EEG study with sphenoidal and pharyngeal electrodes, 437P
 - temporal lobe, splitting automatism, 453P
 - visual evoked potentials, 535P
 - with EEG rolandic paroxysmal discharges, 358P

- EVOKED POTENTIALS, analysis (Fourier) and intelligence, 254P
- auditory see AUDITORY
 - by corneal and nostril air puff stimulation, 225
 - choice performance and feedback, 242P
 - cross-modality comparisons in cat, 61
 - during cerebral anoxia, 251P
 - during cerebral ischemia, 251P
 - during hypotension, 251P
 - effects of unilateral carotid ligation, 251P
 - from scalp and nasopharyngeal leads, 241P
 - H-, axon reflexes and terminal waves, 236P
 - in amygdala and olfactory bulb, 241P
 - in association cortex, 547
 - in wakefulness and sleep, cortical control, 15
 - latency in epilepsy and schizophrenia, 249P
 - parietal focal spikes in non-epileptics, 358P
 - recording techniques, different, 557
 - relationship to vigilance in cat, 61
 - somatic in human spinal cord, 350P
 - somatic, specific and non-specific late components, 450P
 - somatosensory and psychological significance of stimulus, 239P
 - somatosensory and somatomotor, 557
 - somatosensory, during motor activity, 269
 - somatosensory, effects of aging, 325
 - somatosensory in agenesis of corpus callosum, 243P
 - somatosensory in cortical and subcortical disorders, 239P
 - somatosensory, travelling waves, 239P, 557
 - steady-state, for brain lesion detection, 347P
 - stimulus parameters, 61
 - to lateral popliteal nerve stimulation, 379
 - to tactile and electrical stimuli, interactions with auditory and visual, 537
 - variability, psychological correlates, 253P
 - visual, see VISUAL
 - X-irradiation effects in rabbit, 591
- EXCITABILITY, of membrane, theory, 243P
- EXCITATION, recurrent, in epileptogenesis, 96
- EXPECTANCY WAVE, see CONTINGENT NEGATIVE VARIATION
- EYE, blink and vertex potential, comparison of response plasticity, 283
- blink reflex, EMG study, 359P
 - corneal stimulation and evoked potentials, 225
 - foveal and extrafoveal influences on visual evoked potentials, 129, 240P
 - movements and unit activity in geniculate and cortex, 449P
 - movements from reticular stimulation, 451P
 - movements in dyslexic children and EEG changes, 353P
 - movements, irregular in children, EEG-EOG study, 347P
 - movements, rapid in sleep, see SLEEP
 - muscle motor neuron activity, movements and position, 351P
 - orbicularis muscle excitability in sleep, 349P, 369
 - peri-ocular afferents and photosensitivity in baboon, 535P
 - peri-ocular afferents cortical projections, in baboon, 535P
 - retrobulbar neuritis, visual evoked responses, 445P
- FLICKER, see PHOTIC STIMULATION
- FOVEA, see EYE
- FREQUENCY, analysis, see EEG MISCELLANEA, TECHNIQUE
- high in EEG of epileptics, 251P
 - specificity of auditory response, 277
- FRONTAL, cortex, beta bursts and behavior, 257
- orbital cortex excision, barbiturate spindles, 485
 - orbital epileptogenic foci, 248P
- GENETICS, in focal epilepsy, see EPILEPSY
- GENICULATE BODY, see THALAMUS
- GLIA, cells in motor cortex, electrical properties and dimensions, 243P
- HANDEDNESS, and alpha rhythm amplitude, 534P
- HEAD TRAUMA, acute EEG diagnosis and prognosis, 353P
- minor in children and seizure disorders, 451P
 - post-traumatic epilepsy, EEG study, 124P
 - with EEG paroxysmal dysrhythmia without seizures, 359P
- HEARING, see AUDITORY
- HEART, rate and frontal beta bursts, 264
- rate, effects of THC-delta 9, 453P
- HIPPOCAMPUS, see RHINENCEPHALON
- HORMONES, estrogen effects on visual responses and behavior, 254P
- testosterone effects on visual responses and behavior, 254P
- HYDROCEPHALUS, EEG study and mental development, 122P
- normal pressure, EEG study, 346P
 - normal pressure and brain atrophy, EEG study, 439P
- HYPERSOMNIA, see SLEEP
- HYPNOSIS, EEG quantitative analysis, 253P, 361
- HYPOTHERMIA, see TEMPERATURE
- INFARCT, cerebral experimental, EEG clinical-pathological study, 243P
- INHIBITION, cortical, sensory and segmental, on spinal cord interneurons, 195
- INTELLIGENCE, and visual responses, 242P
- EEG and evoked potentials, 253P, 254P
- INTOXICATION, CS₂ chronic, EMG study, 436P
- explosive material ingestion, EEG study, 352P
- ISCHEMIA, cerebral, EEG-pathological data, 121P
- cerebral, effect on evoked potentials, 251P
 - cerebral experimental, EEG study, 438P
- KURU, EEG study, 348P
- LIMBIC SYSTEM, see, RHINENCEPHALON
- LIVER, diseases, EEG study, 167
- MALNUTRITION, and photomyoclonic threshold, 124P
- MATURATION, see ONTOGENY
- MEMBRANE, excitability, theory, 243P
- MENTAL, activity, and blood flow, 440P
- activity and EEG, 253P, 254P, 255P
 - activity and EEG in cerebro-vascular insufficiency, 121P
 - activity and EEG, multivariate analysis in juvenile delinquents, 71
 - activity and frontal beta bursts, 257
 - activity, development in hydrocephalic children, 122P
 - activity, EEG analysis during meditation, 454P
 - retardation, and *cutis verticis gyrata* syndrome, EEG study, 439P
- METHODS, see TECHNIQUE
- MICRO-ELECTRODE STUDY, and electron microscopy of glial cells, 243P
- in awake animals, technique, 116
 - in cortical epileptogenic focus, 96
 - in denervated cortex under cholinomimetics effects, 215
 - in dorsal cochlear nucleus, 104
 - in human muscle and skin nerves, 435P
 - in lateral geniculate and cortex during eye movements, 449P
 - in reticular formation, 104
 - of cingulate cortex units, vagal influence, 350P

- of Purkinje cells, 457, 471
- of spinal cord dorsal interneurons, 195
- of spinal neurons during sleep, 355P
- of visual neurons (acoustic input), 240P
- single C unit activity in human skin nerves, 435P
- MIND, see MENTAL
- MOTIVATION, and frustration, CNV studies, 249P
- MOTOR, activity, absence in cat, and cortical rhythms, 23
 - activity, active and passive, effects on evoked potentials, 269
 - activity ocular, see EYE, SLEEP
 - activity, sustained, effects on CNV, 446P
 - behavior in cats, computer analysis of cortical and subcortical activity, 443P
 - cortex, glial cells study, 243P
 - unit, potential duration, automatic measurement, 441P
- MUCOPOLYSACCHARIDOSES, EEG study, 447P
- MUSCLE, "action potential average", rise time determination, 442P
 - and skin nerve of man, sympathetic activity, 435P
 - electrical activity, see ELECTROMYOGRAPHY
 - eye, see EYE
- MYELOPROTEIN SERUM, intraventricular in rabbits, 354P
- MYOTONIA, Schwartz-Jampel syndrome, EMG study, 497
- NARCOLEPSY, and hypersomnia, clinical-polygraphic study, 442P
 - sleep paralysis with fear, 534P
- NEOPLASIA of brain, see BRAIN TUMORS
- NERVE, conduction and re-innervation in traumatic injury, 120P
 - conduction velocity and constitutional factors, 436P
 - diseases, evoked responses, 236P
 - fibers, small and evoked cortical activity, 207
 - terminal twigs, function at regeneration, 436P
 - ulnar and median anastomosis, EMG study, 441P
- NEURON, unit activity, see MICRO-ELECTRODE STUDIES
- NYSTAGMUS, see ELECTRONYSTAGMOGRAPHY
- OCCIPITAL, responses, see VISUAL
- OESOPHAGUS, EMG study at rest and during Valsalva manoeuvre, 110
- OLFACTORY system, see RHINENCEPHALON
- ONTOGENESIS, see also CHILDREN
 - EEG analysis in premature, 452P
 - EEG in normal children, 438P
 - of sleep rhythms in chimpanzee, 41, 47
 - of visual responses, 141, 242P
- OPHTHALMOLOGY, see EYE
- OPTIC NERVE, papillitis and retrobulbar neuritis, EEG study, 81
- OXYGEN, hyperbaric in simulated depth, EEG-psychometric study, 534P
 - hyperbaric therapy, EEG study, 533P
 - hypoxic and hyperbaric conditions, quantitated EEG, 438P
 - tension in experimental status epileptics, 446P
- PAVOR NOCTURNUS, in epileptic children, 603
- PERCEPTION, and motor activity, 269
- PHOTIC STIMULATION, different colors, EEG patterns, 332
 - flash and patterns, in retrobulbar neuritis, 445P
 - flash train-evoked patterns, 439P
 - geometric patterns in epilepsy, 221
 - gonadal steroids effect on EEG responses, 254P
 - grid pattern in epilepsy, 347P
 - in epileptic baboon, drug effect, 520
 - interaction with auditory and tactile, 537
 - lateral gaze effect on photo convulsive responses, 447P
 - photo myoclonic threshold and serotonin, 124P
 - photo myoclonic threshold in malnutrition, 124P
 - responses, see VISUAL
 - sensitivity and peri-ocular afferents in baboon, 535P
- POISONING, see INTOXICATION
- POLARITY, in EEG and neurophysiology, 251P
 - in EEG and neurophysiology, historical aspects, 349P
- POLYMYOSITIS, EMG frequency analysis, 435P
- PSYCHIATRY, depression physiopathology, experimental study, 124P
 - EEG posterior temporal slow activity, 445P
 - manifestations, relationship to epilepsy, 454P
 - schizophrenia, EEG spectral analysis and evoked potentials 249P
- PSYCHOLOGY, see also BEHAVIOR, MENTAL
 - and EEG, a symposium, 253P
- REFLEX, blink, see EYE
 - epilepsy, see EPILEPSY
 - H- see ELECTROMYOGRAPHY
 - orbicularis oculi excitability in sleep, 369
 - spinal, acid-base balance effects, 120P
- RESPIRATION, see also ANOXIA, OXYGEN
 - mechanisms in sleeping cat, 1
- RETARDATION, mental, see MENTAL
- RETICULAR FORMATION, see BRAIN-STEM
- RETINA, see ELECTRORETINOGRAPHY, EYE
- RHEOENCEPHALOGRAPHY, 122P
- RHINENCEPHALON, amygdala responses in man, 241P
 - cingulate cortex unit activity, 350P
 - fornix lesions and hippocampal stimulation, EEG-autonomic effects, 450P
 - hippocampal activity during delayed alternation problems, 567
 - hippocampal descending influences, 351P
 - hippocampal EEG and behavior, 236P
 - hippocampal influence, pathways, 250P
 - olfactory bulb and tract, responses in man, 241P
- SCHIZOPHRENIA, see PSYCHIATRY
- SEIZURE(s) absences, treatment (see also DRUGS), 451P
 - EEG discharges, subclinical, regional 442P
 - electrically induced, diazepam effects, 535P
 - elicited by sweet stimulation, 359P
 - febrile, EEG study, 452P
 - first, in adults, follow-up EEG study, 238P
 - from poisoning from explosive material, EEG study, 352P
 - grand mal and psychomotor, triggered by spike-and-wave pattern, 247P
 - megimide-induced in epileptics, 535P
 - post-embolic experimental, cerebral blood flow, 121P
 - suppression by sensorimotor EEG feedback training, 89
 - while driving, 358P
- SENSORY, cortex, rhythmical activity in motionless cat, 23
 - deprivation and sleep patterns, 534P
 - mechanisms, cortical control, 15
 - motor EEG feedback training in epileptics, 89
 - responses, see EVOKED POTENTIALS
- SEX, role in CNV, 238P
- SKIN, and muscle nerves of man, sympathetic activity, 435P
 - cephalic potentials in EEG, 419
 - nerves, human, single C unit activity, 435P
 - stimulation and vertex potentials, 537
- SKULL, defects, EEG study, 443P
- SLEEP, auditory responses in children, 159
 - cerebellar neurons activity, 457, 471
 - cortical control of sensory afferents, 15
 - deprivation, in photosensitive epileptics, 355P
 - EEG, EMG, EOG automatic analysis by a hybrid

- system, 403
- EEG lambdoid waves, 250P
- effect on somatosensory responses, 557
- hypersomnia, clinical-polygraphic study, 442P
- hypersomnia, paroxysmal telemetry study, 119P
- in anencephalic child, EEG study, 346P
- in baboon, p-chlorophenylalanine effects, 99
- in cats, computer analysis of cortical and subcortical activity 443P
- nocturnal, in porto-caval encephalopathy, 167
- nocturnal, orbicularis oculi excitability, 349P, 369
- ontogeny in chimpanzee, 41, 47
- paradoxical phase, unit activity in lower brain-stem, 104
- pavor nocturnus in epileptic children, 603
- posterior median spikes and lambda waves, 534P
- postural mechanisms, EMG study in cat, 1
- REM distribution with sensory deprivation, 534P
- REM patterns in subcortical nuclei, 249P
- respiratory mechanisms, EMG study in cat, 1
- slow EEG pattern alteration, 249P
- spinal neuronal activity and myoclonic discharges, 355P
- study in narcolepsy, 534P
- thermoregulatory mechanisms, EMG study in cat, 1
- total and differential loss, 249P
- SLOW WAVES, see CONTINGENT NEGATIVE VARIATION, EEG PATTERNS MISCELLANEA, STEADY POTENTIALS**
- SOCIETY PROCEEDINGS,**
 - Alpine (XIV meet.), Zermatt (January 1972), 354
 - American, Bloomington, Minn. (September, 1971), 237
 - British, London (October, 1971) 346
 - British, London (January, 1972), 445
 - Dutch, Utrecht (February, March, October, November, 1971), 441
 - Dutch and French (Joint meeting), Amsterdam (May, 1971), 119
 - Eastern (U.S.A.), New York (December, 1971), 349
 - Eastern (U.S.A.) Mont-Gabriel (February, 1972), 449
 - French and Dutch (Joint meeting) Amsterdam (May, 1971), 119
 - French language countries, Paris (October, 1971), 533
 - Mexican, Mexico City (September, 1971), 124
 - Norwegian, Oslo (December, 1971), 236
 - Scandinavian, Turku (June, 1971), 435
- SOMATO-SENSORY, see CEREBRAL CORTEX, EVOKED POTENTIALS SENSORY**
- SPIKES, action potentials, see MICRO-ELECTRODE STUDIES**
 - EEG, see EEG PATTERNS MISCELLANEA
- SPINAL CORD, evoked potentials in man, 350P**
 - interneurons, inhibitory influences, 195
 - neuronal activity and myoclonic discharges in sleep, 355P
 - reflexes and acid-base balance, 120P
- SPINDLE, see EEG PATTERNS MISCELLANEA**
- STAPEDIUS, tic, 352P**
- STEADY POTENTIALS, variations with choice performance and feedback, 242P**
 - expectancy waves, see CONTINGENT NEGATIVE VARIATION
- STEREO EEG, see DEPTH ELECTROGRAPHY**
- STIMULATION, acoustic, see AUDITORY**
 - air puff, of nostril and evoked potentials, 225
 - CNS responses, see EVOKED POTENTIALS
 - of small peripheral nerve fibers, 207
 - parameters in CNV, 238P
 - psychological significance, effects on evoked response, 239P, 242P
 - nociceptive, see CEREBELLUM
 - visual, see PHOTIC STIMULATION, VISUAL
- SUBSTANTIA NIGRA, see BASAL GANGLIA**
- TECHNIQUE, analysis discriminant, on small computer, 245P**
 - automated, various in EEG laboratory, 350P
 - "averaged muscle action potential," rise time determination, 442P
 - EEG, auto regressive model for computer calculation of power spectrum, 113
 - EEG, clinical compressed spectral arrays, 245P
 - EEG data bank, 244P
 - EEG data, spectral analysis, 355P
 - EEG maturation analysis, 452P
 - EEG, on-line correlator, 527
 - EEG scanning device, 246P
 - EEG sharp transient computer detection, 336
 - EEG simple patterns, automatic recognition, 355P
 - EEG spatialized, computer display, 244P
 - EEG spectral analysis in epilepsy and schizophrenia, 249P
 - EEG spike-and-wave, automatic detection and quantification, 245P, 339
 - EMG analysis, 511
 - EMG automatic analysis, 435P
 - ERG during brain death, 250P
 - electrical safety in EEG, 353P
 - micro-electrode extracellular chronic recording, 116
 - micro-electrodes, glass; electron microscope examination, 427
 - micro-electrodes, tungsten; production method, 425
 - microforge, joystick operated, for glass micro-pipettes, 232
 - micro-iontophoresis of drugs, improved constant current source, 430
 - neuromuscular testing device, 342
 - noisy signals, pattern recognition, 447P, 608
 - random time intervals generation, 433
 - ratemeter, epochal, 228
 - recording, effects on evoked potentials, 557
 - steady-state evoked potentials for brain lesions detection, 347P
 - visual response analysis, 451P
 - X-ray control of stereotactic head positioning, 530
- TELE-ELECTROENCEPHALOGRAPHY, see TELEMETRY**
- TELEMETRY, EEG, from depth electrodes in man, 119P**
 - EEG in clinical routine use, 437P
 - EEG in epilepsy, 119P
 - EEG in paroxysmal hypersomnia, 119P
 - EEG paroxysmal discharges, review of 3 year study, 119P
- TEMPERATURE, fever convulsions, see SEIZURES**
 - hypothermia, circadian rhythm disorganization, 454P
 - thermoregulatory mechanisms in sleeping cat, 1
- TEMPORAL LOBE, EEG posterior slow activity in psychotics, 445P**
 - epilepsy, see EPILEPSY
- THALAMUS, barbiturate spindles after orbital cortex ablation, 485**
 - CNV responses, 389
 - geniculate unit activity and eye movements, 449P
 - non-specific system and experimental depression, 129
 - paroxysmal discharges in photosensitive baboon, 535P
- TONE, postural mechanisms in sleeping cat, 1**
- VAGUS NERVE, influence on cingulate cortex, 350P**
- VASCULAR, cerebral estimation, see RHEOENCEPHALOGRAPHY**
 - cerebral infarcts, experimental study, 243P

- cerebral insufficiency: EEG frequency analysis, 121P
- cerebral ischemia, EEG-evoked potential studies, 251P
- VESTIBULAR SYSTEM, automatic analysis of electronystagmogram, 533P
 - pathology, instrumental-clinical investigation, 123P
- VISUAL, cortex unit activity during eye movements, 449P
 - cortical neurons, acoustic input, 240P
 - disorders in children, EEG study, 81
 - field, uniform, effect on alpha rhythm and evoked potentials, 440P
 - responses abnormalities in neurological patients, 439P
 - responses analysis, various techniques, 451P
 - responses and intelligence, 254P
 - responses, average to single and train of flashes, 439P
 - responses, effect of uniform visual field, 440P
 - responses, effects of X-irradiation, 591
 - responses from human mastoid and auricle, 517
 - responses in epileptics, 535P
 - responses in Jakob-Creutzfeldt disease, 450P
 - responses, in kitten, effect of barbiturate anesthesia, 141
 - responses in patients with retrobulbar neuritis, 445P
 - response, in rabbits, effects of alpha-adrenergic blockers, 321
 - responses, maturation, 141
 - responses, maturation and intelligence, 242P
 - responses topography and foveal influences, 129, 240P
 - stimulation, see PHOTIC STIMULATION
- X-RAY, effects on averaged evoked potentials, 591
 - stereotactic headpositioning control, 530

TABLE OF CONTENTS

VOLUME 33, 1972

MAIN ARTICLES

	Page
Electromyographic aspects of postural, respiratory and thermoregulatory mechanisms in sleeping cats by P. L. PARMEGGIANI and L. SABATTINI (Bologna, Italy)	1
Control exerted during sleep by primary cortical areas upon different sensory afferents by G. GUILBAUD, D. MENETREY and J. OLIVERAS (Paris, France)	15
Activité rythmique du cortex somesthésique primaire en relation avec l'immobilité chez le chat libre éveillé par A. ROUGEUL, A. LETALLE et J. CORVISIER (Paris, France)	23
Sleep ontogeny in the chimpanzee: from birth to two months by E. BALZAMO, R. J. BRADLEY, D. M. BRADLEY, G. V. PEGRAM and J. M. RHODES (Albuquerque, N.M., U.S.A.)	41
Sleep ontogeny in the chimpanzee: from two months to forty-one months by E. BALZAMO, R. J. BRADLEY and J. M. RHODES (Albuquerque, N.M., U.S.A.)	47
Cross-modality comparisons of averaged evoked potentials, their relation to vigilance and stimulus parameters in cats by J. MAJKOWSKI and A. SOBIESZEK (Warsaw, Poland)	61
Multivariate analytic study of EEG and mental activity in juvenile delinquents by T. ISHIHARA and N. YOSHII (Osaka, Japan)	71
Electroencephalographic changes in childhood optic neuritis by A. S. CHATTHA and C. T. LOMBROSO (Boston, Mass., U.S.A.)	81
Foveal and extrafoveal influences on the topography of the visually evoked, early negative potential in man by K. A. KOOL, R. P. TUCKER, J. DANIAL and R. E. MARSHALL (Ann Arbor, Mich., U.S.A.)	129
Maturation of visual electrocortical responses in unanesthetized kittens: effects of barbiturate anesthesia by G. H. ROSE, S. P. GRUENAU and J. W. SPENCER (Omaha, Nebr., U.S.A.)	141
The effect of stimulus interval on the auditory evoked response during sleep in normal children by E. M. ORNITZ, J. C. M. LEE, P. E. TANGUAY, B. SIVERTSEN and CYNTHIA WILSON (Los Angeles, Calif., U.S.A.)	159
Etude du sommeil nocturne au cours de l'encéphalopathie porto-cave par D. KURTZ, J. P. ZENGLEIN, M. IMLER, M. GIRARDEL, G. GRINSPAN, B. PETER et F. ROHMER (Strasbourg, France)	167
A study of an ascending nigro-caudate pathway by P. FELTZ and D. ALBE-FESSARD (Paris, France)	179

MAIN ARTICLES	Page
Heterosegmental, heterosensory and cortical inhibitory effects on dorsal interneurons in the cat's spinal cord by J. M. BESSON and J. P. RIVOT (Paris, France)	195
Evoked cerebral cortical activity from small peripheral nerve fibers in cat by J. L. VENES, W. F. COLLINS and A. TAUB (New Haven, Conn., U.S.A.)	207
Sensitivity of denervated cerebral cortex to cholinomimetics by R. J. REIFFENSTEIN and CECILE TRIGGLE (Edmonton, Alberta, Canada)	215
Occurrence of "beta bursts" in human frontal cortex related to psychological parameters by A. KAMP, C. F. M. SCHRIJER and W. STORM VAN LEEUWEN (Utrecht, The Netherlands)	257
Modifications des potentiels évoqués corticaux somesthésiques durant des mouvements actifs et passifs chez l'homme par J.-M. COQUERY, M. COULMANCE et M.-C. LERON (Marseille, France).	269
Frequency specificity of the auditory evoked response to simultaneously and successively presented stimuli by R. A. BUTLER (Chicago, Ill., U.S.A.)	277
Comparison of response plasticity between the eyeblink and vertex potential in humans by M. DAVIS and G. R. HENINGER (New Haven, Conn., U.S.A.)	283
A quantitative EEG index of the orienting response in children by T. B. MULHOLLAND and G. GASCON (Bedford and Boston, Mass., U.S.A.)	295
The EEG in intrinsic supratentorial brain tumors: a comparative evaluation by D. A. DECKER JR. and J. R. KNOTT (Iowa City, U.S.A.)	303
Spectral analysis of the EEG during halothane anaesthesia: input-output relations by F. H. LOPES DA SILVA, N. TY SMITH, A. ZWART and W. W. NICHOLS (Utrecht, The Netherlands and Stanford, Calif., U.S.A.)	311
Effects of α -adrenergic blockers on visual evoked responses in rabbits by H. C. SABELLI, F. BARTIZAL, W. J. GIARDINA and S. B. MYLES (Chicago, Ill., U.S.A.)	321
Quantitative EEG analysis during hypnosis by G. A. ULETT, S. AKPINAR and T. M. ITIL (St. Louis, Mo., U.S.A.)	361
Excitability of the orbicularis oculi reflex in all night sleep: its suppression in non-rapid eye movement and recovery in rapid eye movement sleep by J. KIMURA and O. HARADA (Winnipeg, Manitoba, Canada)	369
Analysis of somatosensory evoked potentials to lateral popliteal nerve stimulation in man by T. TSUMOTO, N. HIROSE, S. NONAKA and M. TAKAHASHI (Osaka, Japan).	379
Cortical and subcortical slow potentials in the monkey's brain during a preparatory interval by C. S. REBERT (Menlo Park, Calif., U.S.A.)	389
Analyse automatique du sommeil par un système hybride: nouveaux résultats par J. M. GAILLARD, M. KRASSOËVITCH et R. TISSOT (Genève, Suisse)	403
Auditory evoked potentials and selective attention by R. T. WILKINSON and MARGARET V. LEE (Cambridge, Great Britain)	411
Spontaneous discharge rates of cat cerebellar Purkinje cells in sleep and waking by J. ALLAN HOBSON and R. W. MCCARLEY (Boston, Mass., U.S.A.)	457

MAIN ARTICLES	Page
Simple spike firing patterns of cat cerebellar Purkinje cells in sleep and waking by R. W. MCCARLEY and J. ALLAN HOBSON (Boston, Mass., U.S.A.)	471
Persistent thalamic and cortical barbiturate spindle activity after ablation of the orbital cortex in cats by EVA DAHL, L. I. GJERSTAD and K. KR. SKREDE (Oslo, Norway)	485
Continuous muscle fiber activity in the Schwartz-Jampel syndrome by R. G. TAYLOR, R. B. LAYZER, H. S. DAVIS and W. M. FOWLER JR. (Davis, Sacramento and San Francisco, Calif., U.S.A.)	497
A study of the differentiated electromyogram by R. D. FUSFELD (Los Angeles, Calif., U.S.A.)	511
Slow vertex potentials: interactions among auditory, tactile, electric and visual stimuli by H. DAVIS, P. A. OSTERHAMMEL, C. C. WIER and D. B. GJERDINGEN (St. Louis, Mo., U.S.A.)	537
Association cortex potentials and reaction time in auditory discrimination by W. RITTER, R. SIMSON and H. G. VAUGHAN JR. (Bronx, N.Y., U.S.A.)	547
Traveling waves of the human scalp-recorded somatosensory evoked response: effects of differences in recording technique and sleep on somatosensory and somatomotor re- sponses by R. Q. CRACCO (Philadelphia, Pa., U.S.A.)	557
Hippocampal electrical activity in the monkey during delayed alternation problems by D. P. CROWNE, AUDREY KONOW, K. J. DRAKE and K. H. PRIBRAM (Waterloo, Ontario, Canada and Stanford, Calif., U.S.A.)	567
Inhibition of behavioural and EEG activation induced by morphine acting on lower brain- stem structures by K. ALBUS and A. HERZ (Munich, W. Germany)	579
Changes in the averaged evoked potentials of the rabbit during and after fractionated X- irradiation by T. MINAMISAWA, T. TSUCHIYA and H. ETO (Chiba-shi, Japan)	591
 CLINICAL AND LABORATORY NOTES	
Suppression of seizures in an epileptic following sensorimotor EEG feedback training by M. B. STERMAN and L. FRIAR (Sepulveda and Los Angeles, Calif., U.S.A.)	89
Role of recurrent excitatory pathways in epileptogenesis by G. F. AYALA and C. VASCONETTO (Minneapolis and St. Paul, Minn., U.S.A.)	96
Action de la p-chlorophenylalanine sur le sommeil du babouin <i>Papio papio</i> par J. BERT (Marseille, France).	99
Multiple unit activity of dorsal cochlear nucleus and midbrain reticular formation during paradoxical phase of sleep. IV. A supplementary note by K. MORI, H. MITANI, M. FUJITA and W. D. WINTERS (Tokyo, Japan and Los Angeles, Calif., U.S.A.)	104
Reversible coma with an EEG pattern normally associated with wakefulness by B. N. JONES, C. D. BINNIE, D. FUNG and J. J. HAMBLIN (Wickford and Southend-on- Sea, Great Britain).	107

CLINICAL AND LABORATORY NOTES

Page

- Observations on the electromyogram of the oesophagus at rest and during Valsalva's manoeuvre
by A. ARLAZOROFF, Y. RAPOPORT, E. SHANON and M. STREIFLER (Tel-Aviv, Israel) . . . 110
- The effect of geometric patterns combined with intermittent photic stimulation in photosensitive epilepsy
by P. M. JEAVONS, G. F. A. HARDING, C. P. PANAYIOTOPOULOS and N. DRASDO (Birmingham, Great Britain) . . . 221
- Somatosensory evoked responses elicited by corneal and nostril air puff stimulation
by Y. MATSUMIYA and D. I. MOSTOFKY (Boston, Mass., U.S.A.) . . . 225
- Further observations on the effects of aging on the wave form of the somatosensory evoked potential
by K. TAMURA, H. LÜDERS and Y. KUROIWA (Fukuoka, Japan). . . 325
- Micturition syncope
by D. N. J. DONKER, E. O. ROBLES DE MEDINA and J. KIEFT (Soesterberg and Utrecht, The Netherlands) . . . 328
- Pattern of EEG recovery under photic stimulation by light of different colors
by M. R. ALI (Dacca, Bangladesh) . . . 332
- Cephalic skin potentials in electroencephalography
by T. W. PICTON and S. A. HILLYARD (La Jolla, Calif., U.S.A.). . . 419
- A short latency visual evoked potential recorded from the human mastoid process and auricle
by P. VAN HASSELT (Nijmegen, The Netherlands) . . . 517
- Behavioural and electrographic effects of L-5-hydroxytryptophan and D,L-parachlorophenylalanine on epileptic Senegalese baboon (*Papio papio*)
by J. A. WADA, E. BALZAMO, B. S. MELDRUM and R. NAQUET (Marseille, France) . . . 520
- Pavor nocturnus of non-epileptic nature in epileptic children
by C. A. TASSINARI, D. MANCIA, B. DALLA BERNARDINA and H. GASTAUT (Marseille, France). . . 603

TECHNICAL CONTRIBUTIONS

- The use of an EEG autoregressive model for the time-saving calculation of spectral power density distributions with a digital computer
by G. PFURTSCHELLER and G. HARING (Graz, Austria). . . 113
- A simple system for extracellular micro-electrode recording from awake animals
by B. BRIDGEMAN (Stanford, Calif., U.S.A.) . . . 116
- An epochal ratemeter for neurophysiological studies
by H. J. SPENCER (Winnipeg, Manitoba, Canada). . . 228
- A joystick operated microforge for fabrication of glass micropipette electrodes
by G. M. DOLD and R. E. BURKE (Bethesda, Md., U.S.A.). . . 232
- A hybrid computer technique for detecting sharp EEG transients
by J. R. G. CARRIE (Houston, Texas, U.S.A.) . . . 336

TECHNICAL CONTRIBUTIONS	Page
A hybrid computer system for detecting and quantifying spike and wave EEG patterns by J. R. G. CARRIE (Houston, Texas, U.S.A.)	339
A neuromuscular testing device by E. BAHNIUK, A. H. BURSTEIN, V. H. FRANKEL and J. P. VAN DER MEULEN (Cleveland, Ohio, U.S.A.)	342
Tungsten microneedles: a simple method of production by B. GAROUTTE and K. H. LIE (San Francisco, Calif., U.S.A.)	425
Darkfield electron microscopy: a simple method for the examination of glass microelectrodes in the electron microscope by D. S. FORMAN and W. L. R. CRUCE (New York, N.Y., U.S.A.)	427
An improved constant current source for micro-iontophoretic drug application studies by H. M. GELLER and D. J. WOODWARD (Rochester, N.Y., U.S.A.)	430
A method for generating random time intervals by H. FEIN (New Haven, Conn., U.S.A.)	433
An on-line correlator for electroencephalography by J. W. EMDE and H. W. SHIPTON (Iowa City, Iowa, U.S.A.)	527
Placing the head horizontally in the stereotaxic apparatus by using X-ray photographs by M. J. G. M. KLOPROGGE (Nijmegen, The Netherlands)	530
The recognition index: a pattern recognition technique for noisy signals by H. WEINBERG and R. COOPER (Bristol, Great Britain)	608
BOOK REVIEWS	
Contemporary brain research in China translated and edited by J. S. BARLOW	126
Fundamentals of electroencephalography by K. A. KOOL	127
The formation of nerve connections by R. M. GAZE	256
Neurosciences research, Vol. 4 edited by S. EHRENPREIS and O. C. SOLNITZKY	360
Das Hirnstrombild unter Mehratmung bei Kindern edited by K. MÜLLER	456
Chimpanzee: Central nervous system and behaviour. A Review. Primates in Medicine, Vol. 4 edited by H. H. REYNOLDS	456
A manual of standardized terminology, techniques and criteria for scoring of states of sleep and wakefulness in newborn infants edited by T. ANDERS, R. EMDE and A. PARMELEE	614
Explorers of the brain by L. A. STEVENS	615

BOOK REVIEWS	Page
Languages of the brain by K. H. PRIBRAM	616
SOCIETY PROCEEDINGS (for details see <i>Index of Subjects</i>).	119, 236, 346, 435, 533
INDEX OF AUTHORS VOLUME 33, 1972.	617
INDEX OF SUBJECTS VOLUME 33, 1972	623
INDEX TO CURRENT LITERATURE Nos. 23 and 24 were enclosed with the September and November issues, respectively	
EEG NEWS AND NOTES appeared monthly as blue pages at the back of each number	

**BLANK
PAGE**